



evropský  
sociální  
fond v ČR



EVROPSKÁ UNIE



MINISTERSTVO ŠKOLSTVÍ,  
MLÁDEŽE A TĚLOVÝCHOVY



Střední škola obchodu,  
služeb a podnikání  
a Vyšší odborná škola  
Kněžskodvorská 33/A, 370 04 České Budějovice

## INVESTICE DO ROZVOJE VZDĚLÁVÁNÍ

Jméno autora: Mgr. Mária Filipová

Datum vytvoření: 12. 09. 2013

Číslo DUMu: VY\_32\_INOVACE\_09\_AJ\_FT

Ročník: 1. – 4. ročník

Vzdělávací oblast: Jazyk a jazyková komunikace

Vzdělávací obor: Anglický jazyk

Tematický okruh: odborná slovní zásoba a téma pro studenty oboru Aplikovaná chemie

Téma: Poisonous plants

Klíčová slova: poisonous, lethal, toxine, autumn

### Metodický list/anotace:

Materiál slouží k seznámení se základní odbornou slovní zásobou pro studenty oboru Aplikovaná chemie.

Jedná se zejména o termíny z oblasti biologie a chemie.

Studenti odhadují na základě svých znalostí význam slov. V případě potřeby pracují se slovníkem. Důležité je pochopení obsahu a aktivní slovní zásoba. Studenti využívají svých znalostí z oboru chemie, biologie a mikrobiologie.

Připraví krátkou prezentaci se zajímavými informacemi.

# Poisonous plants

autumn

# Viburnum – pic.1



# Viburnum

- Viburnum is a genus of about 150–175 species of shrubs or small trees in the moschatel family, Adoxaceae. Its current classification is based on molecular phylogeny.
- The fruit is a spherical, oval or somewhat flattened drupe, red to purple, blue, or black, and containing a single seed; some are edible for humans, but many others are mildly poisonous.

# Frangula –pic.2



# Frangula

- *Rhamnus frangula*, (*Frangula alnus*), the Alder Buckthorn, is a tall in the family Rhamnaceae. It is native to Europe, northernmost Africa and western Asia.
- Galen, a Greek physician of the 2<sup>nd</sup> century A.D., knew of Alder Buckthorn. All of these plants were credited with the power against headaches.
- The bark has been used as a laxative. Bark for medicinal use is dried and stored for a year before use, as fresh bark is violently purgative; even dried bark can be dangerous if taken in excess.

# Colchicum autumnale – pic.3



# Colchicum autumnale

- *Colchicum autumnale*, commonly known as *autumn crocus*, *meadow saffron* or *naked lady*, is a flower that resembles the true crocuses, but blooms in autumn. The name "naked lady" comes from the fact that the flowers emerge from the ground long after the leaves have died back.
- *Colchicum* plants are poisonous due to their colchicine content. The symptoms of colchicine poisoning resemble those of arsenic and no antidote is known.

# Zdroje

- pic.1 - HAGENS, Wouter. [wikimedia.org/wikipedia](http://wikimedia.org/wikipedia) [online]. [cit. 12.09.2013]. Dostupný na WWW:  
[http://en.wikipedia.org/wiki/File:Viburnum\\_opulus\\_Ci\\_pg](http://en.wikipedia.org/wiki/File:Viburnum_opulus_Ci_pg)
- pic.2 - OLDMUZZLE. [wikimedia.org/wikipedia](http://wikimedia.org/wikipedia) [online]. [cit. 12.09.2013]. Dostupný na WWW:  
[http://en.wikipedia.org/wiki/File:Frangula\\_OM11.JPG](http://en.wikipedia.org/wiki/File:Frangula_OM11.JPG)
- pic.3 - AUTOR NEUVEDEN. [wikimedia.org/wikipedia](http://wikimedia.org/wikipedia) [online]. [cit. 12.09.2013]. Dostupný na WWW:  
[http://en.wikipedia.org/wiki/File:Illustration\\_Colchicum\\_autumnale0.jpg](http://en.wikipedia.org/wiki/File:Illustration_Colchicum_autumnale0.jpg)

# Literatura

- POLUNINOVÁ, Miriam; ROBBINS, Christopher. *Liečivá z prírody*. Bratislava: Gemini, 1994, ISBN 80-7161-098-4.
- KRESÁNEK, Jaroslav; KREJČA, Jindřich. Atlas liečivých rastlín a lesných plodov. Martin: Osveta, 1988, ISBN 70-056-88 ALR.
- <http://en.wikipedia.org>
- PHILLIPS, Janet a kol. Oxford studijní slovník. Oxford: Oxford University Press, 2010, ISBN 978019 430655 3.